

I claim:

1. A combination tool holder and work station comprising:
 - a body, said body defining a plurality of chambers therein, said chambers configured to receive and hold a selected number of tools therein;
 - a lid configured to connect with said body so as to hold said tools within said chambers;
 - and
 - at least one pounding surface connected to said body.
2. The combination tool holder of claim 1 further comprising a second pounding surface.
3. The combination tool holder of claim 1 wherein said body is comprised of a durable plastic material.
4. The combination tool holder of claim 1 wherein said lid is connected to said body through a hinge.
5. The combination tool holder of claim 1 wherein said body is comprised of a durable transparent material.

6. The combination tool holder of claim 1 wherein said chambers are configured to eyelet setting tools therein.
7. The combination tool holder of claim 1 wherein said lid is configured to fit within a portion of said body.
8. The combination tool holder of claim 1 wherein said pounding surface is made of a durable rubber material.
9. The combination tool holder of claim 1 further comprising a second pounding surface.
10. The combination tool holder of claim 9 wherein said second pounding surface is made of a material different than said first pounding surface.

11. A combination tool holder and work station comprising:
 - a body, said have at least two pairs of opposing sides a top and a bottom, body defining a plurality of chambers therein, said chambers configured to receive and hold a selected tool of a designated size therein;
 - a lid connected to said body through a hinge, said lid configured to hold said tools within said chambers; and
 - at least one pounding surface connected to said body.
12. The combination tool holder of claim 11 further comprising a second pounding surface.
13. The combination tool holder of claim 11 wherein said body is comprised of a durable plastic material.
14. The combination tool holder of claim 11 wherein said lid is connected to said body through a hinge.
15. The combination tool holder of claim 11 wherein said body is comprised of a durable transparent material.

16. The combination tool holder of claim 11 wherein said chambers are configured to eyelet setting tools therein.
17. The combination tool holder of claim 11 wherein said lid is configured to fit within a portion of said body.
18. The combination tool holder of claim 11 wherein said pounding surface is made of a durable rubber material.
19. The combination tool holder of claim 11 further comprising a second pounding surface.
20. The combination tool holder of claim 19 wherein said second pounding surface is made of a material different than said first pounding surface.